Name:	
MAT 222 Spring 2019 Minitab Lab 2	""What do you do when you're angry?" 'Math'. 'Ok What about when you're sad?' 'Math'. 'Happy'? 'Ma-aaath'! 'So every feeling you have makes you want to do Math'? 'I do not know if it is so much cause and effect I do a lot of Math. The feelings come and go." —Phineas & Baljeet, Phineas and Ferb
Waugh's Ph.D. thesis at the U could predict the age of abal (male, female, and infant), l	make use of the abalone.mpj file. This data is from a study by Dr. Sam University of Tasmania. The goal of the study was to study whether one one using physical measurements. The variables in the study were sex ength (mm), diameter (mm), height (mm), whole weight (g), shucked g), shell weight (g), and rings (each ring is 1.5 years). Use Minitab to cises.
Problem 1: Construct a 97%	6 confidence interval for the variable 'Rings'. Fill in the results below.
Sample Average:	d.o.f.:
Sample StDev:	Lower Confidence Value:
n:	Upper Confidence Value:
Problem 2: Write your conclem.	lusion from the confidence interval you obtained in the previous prob-
'Rings': $H_0: \mu = 10$ versus	cance level of 3%, test the following hypothesis about the variable $H_a: \mu > 10$; that is, test whether it is likely that the average number 0 or if it is more than 10. Fill in your results below and write your
Sample Average:	d.o.f.:
Sample StDev:	Test Statistic:
n:	<i>p</i> -value:

C L Blake, C J Merz. UCI repository of machine learning databases University of California, Irvine, Department of Information and Computer Sciences. 1998, Sam Waugh (1995) "Extending and benchmarking Cascade-Correlation", PhD thesis, Computer Science Department, University of Tasmania.

Now unstack the variable 'Whole Weight' so that you have a column called 'Female Whole Weight' and a column called 'Male Whole Weight'. Use this sorted data to answer the next two questions.

Problem 4: Test whether there is a difference in the weight between female and male abalone. To do this, perform a two-sample *t*-test using the unstacked columns you created. Test the hypothesis:

$$\begin{cases} H_0: \mu_{\text{females}} = \mu_{\text{males}} \\ H_a: \mu_{\text{females}} \neq \mu_{\text{males}} \end{cases}$$

Use a significance level of 3%. Fill in the data below and state your conclusions.				
	Sample Average (Males):	Sample Average (Females):		
	Sample StDev (Males):	Sample StDev (Females):		
	n (Males):	n (Females):		
_	d.o.f.:	Difference Estimate:		

Test Statistic: *p*-value:

Problem 5: Again, test whether there is a difference in the weight between female and male abalone, using the same significance level and hypotheses as in the previous problem. However, this time used a pooled t-test. Fill in the data below and state your conclusions. Also, justify why a pooled t-test may be appropriate in this case.

remales): Sample Average (Males):	
Gemales): Sample StDev (Males):	
Gemales): n (Males):	
rence Estimate: d.o.f.: Test Statistic: s_n :	
Test Statistic: s_p : p -value:	

In the Minitab menu, go to Calc→Calculator. Under 'Expression', enter Length—Height and store the results in a column labeled 'Differences'. We shall use this column to test whether abalone are as tall as they are long.

Problem 6: Perform an appropriate statistical test to test the following null and alternative hypotheses:

$$\begin{cases} H_0: \mu = 0 \\ H_a: \mu \neq 0 \end{cases}$$

Draw your conclusions using $\alpha=0.03$. Fill in the data from your test below and state your conclusions.

Sample Average:	 d.o.f.:	
Sample StDev:	 Test Statistic:	
n:	 <i>p</i> -value:	

When turning this assignment in, be sure to provide a Word document print off with all the statistical outputs from Minitab.